This listing of claims will replace all prior versions, and listings, of claims in the application:

In the Claims:

1. (Currently Amended) An apparatus comprising:

An an integral molded part of a plastic material for the analysis and preparation of substances, having at least one surface region and an interior region, wherein said at least one surface region is an open-pore three-dimensional network.

- 2. (Currently Amended) The molded part apparatus according to claim 1, characterized in that wherein said interior region has no open pores.
- 3. (Currently Amended) The molded part apparatus according to either of claims claim 1 or 2, characterized in that wherein said plastic material is selected from the group consisting of polyamides, polysulfones, polyesters, polycarbonates and as well as copolymers and mixtures thereof.
- 4. (Currently Amended) The molded part apparatus according to any of claims claim 1 to 3, characterized in that wherein at least one reactant is reactants are bound to at least a part of said at least one surface region.
- 5. (Currently Amended) The molded part apparatus according to claim 4, characterized in that wherein said reactant is reactants are selected from the group

<u>consisting of proteins, nucleic acids, carbohydrates, lipids, affinity ligands, and</u> effectors of enzymes.

- 6. (Currently Amended) The molded part apparatus according to either of claims claim 4 or 5, characterized in that wherein said reactant is reactants are bound through a reactive side chain chains of said plastic material.
- 7. (Currently Amended) The molded part apparatus according to any of claims claim 1 to 6, characterized in that wherein said molded part is at least one of designed as a pipette tip, microtitration plate, piece of flexible tubing, rod, single or multiple vessel, immersed body sphere or plate.
- 8. (Currently Amended) A process for the preparation of the <u>an integral</u> molded part <u>of a plastic material according to any of claims 1 to 7</u>, the molded part having at least one surface region and an interior region, the process comprising:

partially dissolving the plastic material on at least a part of the at least one surface region wherein an integral molded part of a plastic material is partially dissolved on at least one surface region to form an open-pore surface region which is a three-dimensional network.

9. (Currently Amended) The process according to claim 8, characterized in that further comprising:

chemically activating a chemical activation of the surface region is

effected before, simultaneously with or after said partially dissolving of the surface region.

10. (Currently Amended) A An integral molded part of a plastic material having at least one surface region and an interior region, obtainable by a process according to claim 8 or 9 comprising:

partially dissolving the plastic material on at least a part of the at least one surface region to form an open-pore surface region which is a three-dimensional network.

- 11. (Canceled)
- 12. (Canceled)
- 13. (Canceled)

dimensional network.

- 14. (New) A process of using an integral molded part comprising:

 analyzing or preparing a biological substance using the integral molded
 part, the molded part formed of a plastic material having at least one surface region and
 an interior region, wherein the at least one surface region is an open-pore three-
- 15. (New) The process according to claim 14, wherein analyzing the Page 5 of 7

substance further comprises identifying and quantifying an analyte.

- 16. (New) The process according to claim 15, wherein identifying and quantifying an analyte further comprises determining a specific concentration of the analyte.
- 17. (New) The process according to claim 14, wherein preparing the substance further comprises at least one of enriching a substance in a sample, depleting an interfering substance in a sample, or modifying an analyte in a sample.
- 18. (New) The process according to claim 17, wherein modifying an analyte in a sample further comprises removing at least one of a phosphate, sugar or fatty acid moiety from the sample.